
Index

- abstinence from smoking** 55, 71, 87, 99, 108, 160-161
 - hospital patients 152
 - long-term 6-7, 99, 108
 - TRACC intervention, rates of 148-150(*see also* **quit rates, smoking**)
- abstinence from smokeless tobacco** 160-161
- academic detailing** 8, 10, 302, 349, 353
- Academy of General Dentistry** 366
- adolescents, tobacco use**
 - and carbon monoxide testing 163-164
 - and problem behaviors 164-165
 - counseling by pediatricians 229-230, 232, 238-244
 - followup to intervention 163-164
 - initiation of smoking 4-5
 - interventions 46, 162-166, 361-362, 364-365
 - prevalence of smoking 232
 - prevention of 340, 361, 364-365
 - quit attempts 164-165
 - ST cessation programs 157
- Adult Use of Tobacco Survey (AUTS)** 17-21
- advertising**
 - cigarette 27, 29, 31
 - of clinic smoking intervention 79, 81
 - tobacco products 7, 232
- advice to quit smoking**
 - algorithms for delivery of 262-264, 288-291
 - alone, physician intervention 144-149, 189, 191, 194, 196, 199-202, 224
 - booster sessions 262, 264-265, 269-270
 - brief 92, 94-96, 145, 202, 240
 - chemical workers 272-280
 - clinical trial 92-98, 170
 - confidence in 92, 95-96
 - demographic factors 18-19, 21
 - dental practice 157-161, 272, 274
 - dysfunctional reactions to 279, 284
 - effects of 21, 273-274
 - experimental 262-263, 288-291
 - head and neck cancer patients 262
 - initial 262, 288-289
 - institutionalization of 301
 - negative reactions to 273, 279-280, 284
 - parents' attitudes 236-238, 241
 - patients' attitudes 24-25
 - patients report receiving 3, 17-20, 117, 130
 - pediatricians 230, 233-236, 241
 - personalized 60, 66, 242, 260
 - physician and dentist study groups 117, 130
 - physicians 7-9, 21, 24-25, 50, 88-89, 117, 160, 272-280, 301-303
 - physicians compared to team approach 145, 149
 - physicians report giving 3, 20-21
 - recommendations for giving 280
 - reminder sheets 95, 175-177
 - repeated 79, 260
 - resident training 189, 191, 194, 196, 199
 - role-play for delivery of 263
 - samples of 196, 223-225, 288-297
 - timing of 267
 - training in 94-96, 278
 - usual care 262-263, 288
 - with nicotine gum 92, 95-99(*see also* **counseling, smoking intervention; smoking interventions**)
- African Americans**
 - see* **black smokers**
- age**
 - of smokers 12-13, 19, 21
 - of ST users 159
- alcohol** 98, 231, 265, 269
- American Academy of Family Physicians, smoking counseling kit** 75, 373
- American Academy of Pediatrics** 361
- American Cancer Society** 257, 344, 360-361, 366
 - cancer prevention recommendations 324-325
 - self-help materials 155-156, 282
- American Dental Association** 128, 135, 366
- American Heart Association** 257, 373
- American Lung Association** 146, 257, 344
 - self-help materials 156, 282
 - smoking cessation program 275
- American Medical Association** 25, 360-361
- anticipatory guidance, pediatrician** 240, 243-244
- antismoking messages** 34-35
- Asians/Pacific Islanders** 12-13, 111, 261
- assessment of smoking status** 13-14, 116, 130-131, 133-134, 139, 144, 146, 153, 155, 257, 321, 323, 328-329
- associations**
 - dental, NCI collaboration 363-364, 366-367
 - medical, training programs 360-362
- attempts to quit smoking**
 - see* **quit attempts**
- attitude and practice questionnaire** 115, 121, 129, 135
- attitudes of parents**
 - about effects of their smoking on children 236-238
 - about pediatrician counseling 230, 236-238, 241
- attitudes of patient to provider intervention** 24-25, 247

- attitudes toward smoking intervention,**
 - physician** 48, 52, 82, 87-88, 102, 109-110, 203, 254-255, 260, 263, 330-332, 342, 352
 - pediatricians 233-236, 239, 241
 - residents 199, 209-210, 213-215, 239-240, 266
- audit-with-feedback interventions** 330, 332
- barriers**
 - to effectiveness of office-based interventions 10, 254-255
 - to implementation of training programs 208, 220-221
 - to pediatrician intervention 233, 235, 238-241, 244
 - to physician smoking interventions 88-89, 143, 265-266, 303, 321, 329, 341-342, 352
 - to smoking cessation 7, 104, 151, 195, 211-212, 265-266, 281, 292
- bedside counseling in hospital** 154-155
- behavior**
 - change 24, 344-346, 352-353, 356, 358
 - counseling, smoking intervention 189, 192, 194, 196, 199-203
 - shaping 72, 87
 - skills training 229, 231
 - therapy and smoking cessation 98, 100
- beta-naphthylamine, exposure to** 275, 277
- biochemical validation of smoking status**
 - 57, 102, 105-106, 110, 115-117, 123, 127, 131, 213, 247
 - carbon monoxide analysis 92, 96, 115-116, 127, 131, 146-148, 150, 163-165, 213, 215
 - cotinine analysis 57, 164-165, 247
- black smokers** 12-13, 19, 21, 111, 128, 261, 372
- Blue Cross/Blue Shield of Minnesota** 75-76
- Blue Plus** 75-78, 81, 304, 307-308, 319
- booster sessions, smoking intervention** 262, 264-265, 269-270
 - sample of 289-291
 - training sessions 204-205
- California Tobacco Survey (1990)** 12-14
- Canada**
 - COMMIT implementation 337, 371-372
 - smoking cessation interventions 45, 48, 53-67
- cancer**
 - bladder, chemical workers at risk of 229, 231, 272-284
 - cervix 26
 - esophagus 156-157
 - head and neck, interventions for 229, 259-270
 - larynx 156-157, 259, 261
 - lung 25-26, 259
 - oral 156-157, 259, 261
 - pharynx 259, 261
 - radiation therapy for 260, 267
 - squamous cell 259-261, 267
 - ST-associated 156-157, 259, 261
 - stomach 156-157
- cancer prevention reminder system (CPRS)** 321-333
- Cancer Prevention Research Consortium** 308, 343, 346-347
- carbon monoxide testing**
 - see* **biochemical validation**
- cardiovascular risk** 16, 26
- change, behavioral** 24
 - stages of 344-346
 - techniques 356, 358
 - transtheoretical model of 344-346, 352-353
- charts, patient** 46, 54, 56, 62, 146
 - clinic review of 311-312
 - computerized CPRS 323, 326-327
 - flagging 13-14, 241-242, 264
 - labeling of 72-73, 304-305, 314
 - marking systems 116, 122, 125-126, 129, 136-138, 140
 - notes on smoking assessment 256-257
 - prompt 189, 207, 210
 - reminder system 207, 210
 - reminders 46, 116, 125-126, 129, 140, 264
 - smoking record card 314
- chemical workers**
 - bladder cancer risk and smoking 272, 274-275, 284
 - exposure to carcinogen 272, 274-275
 - medical/dental advice and counseling 229, 231, 272-276, 278-280
 - recruitment for intervention 274-278, 283
- children**
 - asthmatic 233-234
 - exposure to environmental tobacco smoke 29, 230, 362
 - parental smoking, effects of 220, 230, 232-234, 238
 - parents' attitudes about pediatrician counseling of 239
 - pediatrician smoking intervention 229-230, 232, 239-243
 - prevalence of smoking 232
 - prevention of tobacco use 229-230, 232, 239-240, 243, 361-362, 364-365
 - respiratory illness 232-234, 242
 - tobacco use intervention 361-362, 364-365
- chiropractors** 337, 369, 371-372
- cigarettes**
 - advertising 27, 29
 - and ST use 159-161
 - demarketing 29, 31
 - first of day 71, 217-218
 - initiation 4-5
 - marketing 31
- clinic-based smoking interventions** 7-9, 69-89, 305-313
 - Blue Cross/Blue Shield 75-76
 - Blue Plus 75-78, 81, 304, 307-308, 319

- components of 72-73
- cost-benefit adequacy 79, 81
- Doctors Helping Smokers 69-89
- Doctors Helping Smokers collaborations 75-89, 304-308, 314-315, 318
- environment program 72-73, 79-81, 83, 89
- feedback system 79, 81
- HMO Midwest 75-76
- level of implementation 82
- marketing and advertising 79, 81
- Nokomis Clinic 14-15, 72-75, 79-80, 304-305
- orientation program 79-80
- patient experience 84-85
- patient surveys 84, 311-313
- physician participation 78-80, 82-83, 87-89, 305-307
- program evaluation 79, 81
- recruitment for 70, 76-79, 81-82, 86-88
- research environment 72-73
- spirit-building component 79, 81, 83
- stress of clinic 306-307
- support staff 78-80, 82, 84, 89
- supporting elements 74
- clinic environment program** 72-73, 79-81, 83, 89
- clinic quality improvement** 301, 303, 319
- Clinical Interventions To Prevent Tobacco Use by Children and Adolescents** 239-240
- clinical trials, smoking intervention** 158, 191, 342-343, 347, 352, 356-358, 362
 - design 213
 - phase III 145, 342
 - physician advice 92-98
 - Quit for Life 104-109
 - recruitment for 92-94, 193-194
 - resident smoking interventions 207, 213-221
- CME**
 - see* **continuing medical education**
- COMMIT**
 - see* **Community Intervention Trial for Smoking Cessation**
- community**
 - awareness and action 33-36
 - smoking outcome measures 347, 352
- community-based physician interventions** 45, 53, 302, 342-344, 346-348
- Community Intervention Trial for Smoking Cessation (COMMIT)** 51, 302, 334-341, 369-374
 - case studies 337, 369-374
 - community organizer 373-374
 - design and endpoints 335
 - goals 334-337
 - physician and dental training 337-340, 371-373
 - protocol 334, 336-337, 369, 371, 374
 - workshops 338-339, 370-371, 373
- computerized reminder system** 302, 321-333
- consent form** 93, 97, 115, 123, 128, 170
- continuing dental education** 338-339, 364, 370
- continuing medical education (CME), smoking intervention**
 - associations 361
 - methods 51
 - objectives 49-50
 - office-based 48-52, 54, 349-351
 - physician attitudes 52
 - physician counseling 103, 106, 108, 111
 - physicians 48-52, 54, 59, 62, 338-339, 349-351, 360
 - protocol for McMaster/Waterloo Project 53
 - workshops 59, 62, 94, 370
 - (*see also* **training programs, smoking intervention**)
- continuity of care** 10, 265-266
- continuous quality improvement (CQI)** 10, 309-311
 - system for smoking cessation 311-319
- contract to quit smoking** 32, 55, 67, 196-197, 260, 264-265
 - adolescent/child 243
- cost-benefit adequacy of clinic intervention** 79, 81
- cotinine analysis** 57, 164-165, 247
- counseling, physician training** 189-191, 194, 196-197, 199-200
 - advice alone 189, 191, 194, 196, 199
 - amount of time 203
 - counseling skills 269, 351
 - frequency of 190
 - maintenance of skills 199-200
 - patient-centered behavioral 194-197, 203-204
 - plus nicotine gum 189, 191, 194, 197, 199
 - prompts 189-190
 - research/questions to resolve 203-204
 - resident training 189-191, 194, 196, 199, 203
 - samples 196, 198, 223-226
 - tutorials 189-190
- counseling, smoking intervention**
 - attitudes, patients 24-25
 - behavioral 194, 199-202
 - clinical trials, residents 207, 213-221
 - content 213, 215-218, 220
 - cost-effectiveness 102, 110-111, 149
 - CPRS 321-333
 - dental patients 130
 - dentists 24-26, 143, 157
 - examples of 224-225
 - flowchart 210-212, 278
 - four A's 13-15, 240, 242-244, 350, 357-359, 365
 - frequency 213, 215-218, 220
 - in hospital 154
 - minimal contact 207-210
 - nature of 280-283

- NCI protocol 350
- nurse-assisted 46, 52, 109, 144-151, 166
- of chemical workers 229, 231, 275-276
- of children and adolescents 229, 232, 239, 241-243
- of head and neck cancer patients 231, 259-270
- of parents 229-230, 232
- of pregnant women 229-230, 233, 246-258
- of women 246-247
- patient reports of 117, 214, 217
- physician practices 25, 102-104, 109-111, 143-150, 214-216, 301-302
- physician vs. patient reports 217-218
- resident training 189, 192, 194, 196, 199, 203, 207-212, 220
- self-efficacy 274, 276, 281-284, 295-297
- special practice settings 229-244
- steps in process 103-104
- strategies for 30-33
- team approach 143, 145, 149-151, 165-166
- techniques 103-104, 213-214
- training of nurses 251-254
- training of physicians 103, 107-108, 246, 351
- tutorial 207, 209-210, 213, 215-218
- use of prompt 189-191, 207-210, 213, 215-218
(*see also* **advice to quit smoking; smoking interventions**)
- counselors, smoking cessation** 275-276, 281
 - training 276, 283-284
- CPRS**
 - see* **cancer prevention reminder system**
- CQI**
 - see* **continuous quality improvement**
- demarketing of cigarettes** 29, 31
- demographics of smokers** 12-13
 - and advice to quit 18-19, 21
- dental associations** 363-364, 366-367
- dental education** 337-340, 364-365, 370
(*see also* **training programs, smoking intervention**)
- dental professionals, tobacco use intervention**
 - differences from medical model 364
 - NCI training 362, 366-367
 - smokeless tobacco intervention 157-162
 - smoking intervention 14, 135, 340
 - training, COMMIT 340
 - training manuals 365
 (*see also* **oral health team**)
- dentists, smoking interventions** 9, 13-15, 143, 157
 - advice to quit smoking, chemical workers 272-280
 - attitude and practice questionnaire 129, 135
 - barriers/problems 133-135, 139
 - compared to medical 113, 141
 - comparison of approaches 137-138
 - continuing education 337-340
 - counseling behavior 138-140
 - feedback reports 129
 - followup 159-161
 - maxillofacial prosthodontists 229, 231, 259-260, 266, 268-270
 - NCI program 362-367
 - NCI studies 113, 127-141, 362
 - of head and neck cancer patients 231, 259-270
 - office staff 27-28, 132-138, 140-141
 - patient reports of counseling by 130
 - patient visits per year 25, 364
 - provider acceptability/attitude 160
 - quit rates 131-132
 - receptivity of patients 157, 160
 - recruitment 45, 301-302
 - recruitment for studies 128, 133-135, 139
 - role in COMMIT 336-337, 340-341
 - role of 4, 9-10
 - success of intervention 160
 - surveys of practices 102, 109
 - training 45-46, 128-130, 135-137, 268-270, 301-302
 - training, COMMIT 337-340, 370, 373
- dentists, tobacco use intervention** 363-367
 - ST 46, 157-162, 363-365
- determination of smoking status** 13-14, 116, 130-131, 133-134, 139, 144, 146, 153, 155, 321, 323, 328-329
- diffusion theory, smoking intervention** 343-344, 346-347, 353
- dissemination**
 - of interventions 301-302, 342-353, 356, 367
 - of training 361
 - process 343
- Division of Cancer Prevention and Control** 334
- Doctors Helping Smokers (DHS)** 12, 45, 69-89, 304-308, 314-315, 318
- Doctors Ought to Care (DOC)** 27-28, 34-35, 340, 369
- education**
 - associations 361
 - continuing dental 364
 - level of patient and advice received 13, 19, 21
 - of physicians, use of nicotine gum 104, 110
 (*see also* **continuing medical education; training programs, smoking intervention**)
- educational materials**
 - for dentists 365
 - for office staff 351
 - for patients
 - see* **self-help materials, smoking cessation**
 - for physicians 75, 239-240, 257, 351, 357-360
 - on snuff 159
- "Enough Snuff"** 159

- environment, clinic** 72-73, 79-81, 83, 89
- environmental stimuli** 6-7
- environmental tobacco smoke** 29, 36, 230, 362
- examples of physician interventions** 196, 198, 223-226
- exit interview** 57, 64, 123, 138, 213-215, 217-218
- experimental intervention** 262-263, 288-291
- face-to-face interaction** 86, 260
- Fagerstrom tolerance scale** 95, 261
- family practice physicians, smoking interventions** 92-100, 120
 - clinical trials 207, 213, 215, 220
 - computerized reminder 321, 323, 332
 - counseling 207, 229, 239, 332
 - Quit for Life project 102-103
 - recruitment for trial 92-94
 - training 45-46, 48-50, 53, 193-194, 207, 210, 213, 239
- Family Practice Smoking Cessation Project, McMaster/Waterloo** 48, 53-67
- fear arousal** 279-280, 282, 284
- feedback system** 79, 81, 97, 330, 332
- female smokers**
 - health risks 25-26
 - lung cancer 25-26
 - physician visits 12-13
 - pregnant 26, 229-230, 233, 246-258, 370
 - report receiving advice to quit 18, 21
- flowcharts**
 - CQI system 314-317
 - smoking counseling 210-212, 278
- flowsheets** 329, 332
 - for patient office visit 55-56, 62
- FOCUS-PDCA cycle** 310-318
- followup, dental ST intervention** 159-161
- followup, resident tutorial** 190, 220
- followup, smoking intervention**
 - 1-week 211
 - 6-month 71-72, 92, 96, 184, 191, 198, 200-201, 214, 218-220
 - 12-month 71-72, 191, 198, 201
 - 18-month 191, 198
 - 24-month 191, 198
 - adolescents 163-164
 - by nurses 252
 - by pediatricians 242-243
 - difficulty implementing 306
 - head and neck cancer patients 262, 269-270
 - hospital patients 154-156
 - how to deal with 50-51
 - interviews 70-71
 - letters 197, 200
 - long-term 49, 65-67, 191
 - maximal 191, 197-198, 200
 - minimal 191, 198, 200
 - nurse-assisted, TRACC program 144-150
 - office 33, 134, 357
 - oral health team 365
 - patient characteristics 67
 - patient flowsheet 56
 - patient reports and perceptions 64-65
 - postcards 262, 264-265, 270
 - questionnaires 95-96, 183-185
 - Quit for Life 103-105, 107
 - telephone 33, 46, 197-198, 200-201, 203, 269, 305
 - training 63-64, 359
 - use of nicotine gum 185
 - videotape of 359
 - visits, structuring and timing of 61-62, 66
 - visits, supportive 54-55, 61
 - (see also **quit rates, smoking**)
- four A's of patient counseling** 13-15, 350, 357-359, 365
 - use by pediatricians 240, 242-244
- generic reminder sheet** 95, 175
- grand rounds, smoking intervention** 8-9, 115, 348, 373
- Great American Smokeout** 7, 373-374
- gynecological patients** 229-230, 246-247, 256-258
- head and neck surgeons** 229, 231, 259-260, 263, 266-270
- Health Care Provider Task Force** 337-338, 341
- health care providers**
 - barriers to smoking intervention 341
 - in COMMIT 336-337, 340-341
 - training, COMMIT 337-340, 371
- health effects**
 - of passive smoking 232-234, 237-239, 242
 - of smoking 25-26, 229, 259, 272-275, 278, 280, 288
 - of ST use 26, 156-159, 363-364
- health maintenance organization (HMO)**
 - 304, 306-307
 - adolescent smoking cessation intervention 162-166
 - clinical trial recruitment 104, 106
 - HMO Midwest 75-76
 - intervention study 120, 122-123, 125
 - office staff involvement 106-108
 - pregnant smokers' intervention 248, 256
 - smoking intervention training 46
 - smoking intervention trials 102-111
 - surveys of internists 109-110
 - TRACC smoking intervention 143-151
- Health Provider Task Force (HPTF)** 369-371, 373-374
- health risks, screening questionnaire** 92-93, 169
- health status, self-reported** 12-14
- Hispanics**
 - COMMIT 335, 372
 - head and neck cancer patients in intervention 261

- smokers, physician visits 12-13
- smoking behavior 111
- Hospital Corporation of America (HCA)** 310-311
- hospitals**
 - activities, smoking cessation 373-374
 - patients, smoking intervention 46, 151-156
 - smoke-free 152-153, 371, 373
- hotline, stop smoking** 6, 146, 150, 163
- How To Help Your Patients Stop Smoking** 75, 239, 257, 357, 359-360
- How To Help Your Patients Stop Using Tobacco** 365
- HPTF**
 - see* **Health Provider Task Force**
- hygienist, dental**
 - see* **dental professionals, tobacco use intervention**
- individualizing interventions** 29-30
- initial advice** 262, 288-289
- institutionalization of smoking intervention** 8, 301
- intention to quit** 48, 57-58, 92, 95-97, 236, 238
- internal medicine, smoking interventions**
 - clinical trials 207, 213, 215, 220
 - CPRS intervention 321, 323, 332
 - HMO 102-107
 - NCI intervention study 113-114, 120
 - primary care trial 92-98
 - private practice 102-103, 105-107
 - recruitment for trials 92, 104-105
 - surveys of 102, 109-110
 - training 46, 193-194, 207, 210, 213, 215, 220, 239
- intervention strategies for physicians, summary** 351
- interventions, smokeless tobacco**
 - see* **smokeless tobacco interventions**
- interventions, smoking**
 - see* **smoking interventions**
- Johns Hopkins Medical School, smoking prevalence** 15-17
- Johns Hopkins Precursors Study** 15-16
- Kaiser Permanente** 46, 103-104, 106-107, 152
 - adolescent smoking cessation interventional 162-165
 - Dental Care Program 158
 - nurse-assisted smoking intervention 144-145, 147-148, 151
- Latinos**
 - see* **Hispanics**
- leadership, clinic smoking intervention** 306-307
- legislation, smoking-related** 340
- linkage system, diffusion of interventions** 344, 347, 353
- magazines**
 - cigarette advertising 27
 - in waiting rooms 27-28
 - sticker for 28
 - without tobacco advertising 38-39
- maintenance of smoking cessation** 87, 262, 264-265, 270, 273
- male smokers**
 - lung cancer 25
 - physician visits 12-13
 - report receiving advice to quit 18, 21
- marketing**
 - of cigarettes 27, 29
 - of clinic smoking intervention 79, 81, 83
 - of educational events 52
- McMaster/Waterloo Project** 48, 53-67
- media**
 - and legislative advocacy, training in 340
 - campaigns 6-7
- medical associations, training programs** 360-362
- medical materials development** 356-359
- medical records**
 - computerized system 323, 326, 329
 - prompt on 189-190
 - (*see also* **charts, patient**)
- medical screening form** 93, 174
- medical students, smoking prevalence** 12, 15-17
- meta-analysis of smoking cessation trials** 71-72, 87, 240, 303, 358
- minimal-contact smoking counseling** 207-210
- minimal followup to smoking cessation** 191, 198, 200
- Minnesota Heart Health Program** 69-70
- morbidity and mortality, smoking** 25-26, 28, 35
- motivation**
 - and physician reinforcement 102, 104, 260
 - money 30-32
 - of health care providers, smoking intervention 8-9, 50, 97, 260, 301
 - to quit smoking 7, 28, 30-33, 102, 104, 111, 195, 209, 211, 214, 272, 274
- National Cancer Institute (NCI)**
 - associations, collaborative training programs 360-364, 366-367
 - Cancer Prevention Research Consortium 343, 346-347
 - clinical trials, smoking intervention 106, 334, 342-343, 347, 352, 356-358, 362
 - COMMIT 51, 302, 334-341, 369-374
 - counseling protocol 350
 - dental program strategies 363-364
 - dental team training programs 127-141
 - dentist manuals 365
 - Division of Cancer Prevention and Control 334

- Doctors Helping Smokers 12, 69-71, 75-89, 304-308, 314-315, 318
- elements of medical advice 272
- four A's of patient counseling 13-15, 240, 242-244, 350, 357-359, 365
- How To Help Your Patients Stop Smoking* 75, 239, 257, 357, 359-360
- How To Help Your Patients Stop Using Tobacco* 365
- medical and dental models compared 364-365
- oral health team training 362, 364-366
- patient materials 146, 155, 197, 327
- phase III trials 342
- phase IV studies 343, 347, 352
- physician and dentist interventions, studies of 113-141
- physician manuals 75, 239-240, 242-243, 257, 353, 357-360
- physician smoking cessation trials 260
- Physicians Counseling Smokers Project 343, 346, 352
- "Quit for Good" pamphlet 115, 121, 129, 136, 197, 327
- Smoking and Tobacco Control Program 365
- smoking intervention 3, 12
- Smoking, Tobacco, and Cancer Program 207, 209
- training materials 356-360, 365
- training programs 246, 256, 302, 356, 359-362, 366-367
- training workshops 339, 359-360
- National Health Interview Surveys** 17-21
- National Heart, Lung, and Blood Institute**
 - counseling protocol for smokers 115, 129
 - preventive cardiology awards 16
 - video 373
- National Institutes of Health** 308
- negative reactions to advice** 273, 279-280, 284
- nicotine addiction** 4, 211, 274
- nicotine gum** 9, 98, 100, 209, 212, 214, 218, 274
 - and group therapy 98
 - black smokers 111
 - dentist training 130, 136-137
 - effects on smoking cessation 46, 55, 129
 - followup questionnaire on use 96, 185
 - instructions on prescribing 122, 137
 - NCI dentist intervention study groups 127-131, 136-137
 - NCI physician intervention study groups 113-114, 116-118, 121-123
 - patient instructions on use 55, 125, 280, 292
 - patient use 57-59, 67
 - physician training in use of 45, 50, 54, 60, 104, 110, 116, 121-122, 195
 - plus physician advice 92, 95-99
 - plus physician counseling, training 189, 191, 194, 197
 - plus reminder 113, 116-118, 127, 130-131
 - prescription of 110-111, 212, 214, 218, 279-281, 292
 - quit rates 116-118, 131-132
 - reminder sheet 176
 - trial group 92, 95-97
- nicotine replacement therapies** 7, 92, 94, 98, 100
 - patch 9, 87
 - (see also **nicotine gum**)
- nicotine substitutes, patient instructions** 125, 140
- Nokomis Clinic (Minnesota)** 14-15, 72-75, 79-80, 304-305
- Nurses Guide** 251-253
- nurses, smoking interventions** 14, 81, 109, 121, 123, 230, 240, 357
 - adolescents 162-164
 - burnout 254-255
 - COMMIT 337, 372
 - counseling 46, 52
 - CQI system 314
 - prenatal clinic 250-255
 - smoking status of 253, 255
 - TRACC 144-151, 166
 - training 145, 151, 240, 250-253, 255, 362
- obstacles to smoking cessation**
 - see **barriers**
- obstetrical care practice**
 - see **pregnancy**
- office-based smoking interventions** 3, 7-10, 301-319, 349-350, 357-358
 - barriers to 10, 254-255, 358
 - clinics 303-309
 - constraints on 249-250
 - cueing and monitoring system 62
 - dental 127-141
 - dissemination 301-302
 - examination 28-29
 - flowcharts 314-317
 - institutionalization 8, 301
 - interval between visits 250
 - medical 113-126
 - obstetrical 256-258
 - process of development 7-8
 - public prenatal care clinics 247-255
 - recall systems 134
 - reception area 27-28
 - recruitment 301-302
 - steps for 357
- office staff, smoking interventions**
 - clinic intervention 78-80, 82, 84, 89
 - components of successful system 46-47
 - CQI system 311-319
 - HMO 106-107
 - intervention study groups 123, 137-138
 - involvement in smoking intervention 45-46, 49, 52, 106-108

- NCI intervention, dental 130, 132-138, 140-141
- NCI intervention, physician 115, 119-126
- nurse 46, 52
- office practice consultants 349-351
- private obstetrical 256-258
- public prenatal care clinics 249-250
- recruitment 45, 301-302, 322-323
- role in smoking intervention 221, 357-358
- staff coordinator 79-80, 95, 138, 357
- support of 79-80, 89
- TRACC program 145-146
- training 10, 98, 301-302, 304, 326, 331, 349-351, 362
- turnover 119, 122-126, 135, 139, 141
- oral health**
 - see* **health effects**
- oral health team**
 - term defined 364
 - tobacco cessation 362
 - tobacco use prevention 362
 - trainers' workshop 365
 - training 135-137, 338-340, 363-365, 371-373
 - (*see also* **dental** entries; **dentists** entries)
- parents**
 - attitudes about pediatrician counseling 230, 238-239, 241, 244
 - attitudes about smoking 236-238
 - beliefs 234-235
 - effects of smoking on children 220, 230, 232-234, 238
 - pediatrician counseling/intervention 210, 220, 230, 232-238, 241-242
 - stage of change/readiness to quit 230, 238
- passive smoking, effects of** 232-234, 237-239, 242
- patient-centered counseling** 194-197, 202-204
 - cholesterol lowering 204
 - four A's of 350
 - physical exercise 204
 - smoking cessation 195-197, 202-203
- patient-provider interaction** 3, 73, 88, 191-192, 317
- patients, smokers**
 - adherence to intervention 266
 - assessment/determination of smoking status
 - 13-14, 116, 130-131, 133-134, 139, 144, 153, 155, 321, 323, 328-329
 - attitudes 24-25, 247
 - cancer prevention reminders 324, 326-327
 - charts
 - see* **charts, patient**
 - compliance 254
 - confidence in physician advice 92
 - consent form 115, 123, 128
 - demographics of 12-13, 18-19, 21
 - dentist visits per year 3, 25, 301, 364
 - exit interview 57, 64, 123, 138, 213-215, 217-218
 - experience in Doctors Helping Smokers 84-85
 - flowsheet for office visit 55-56, 62
 - health status, self-reported 12-14
 - hospitalized 151, 154
 - initial office visit 54-55
 - instruction on use of nicotine substitute 125
 - intake process 10, 210
 - motivation to quit smoking
 - see* **motivation**
 - office visits, structure of 50
 - perceptions of physician intervention 64-66
 - physician visits per year 3, 12-14, 17, 25, 98, 102, 301
 - profile of 12-13
 - provider interaction flowchart 317
 - questionnaires 92-93, 95-97, 146, 149-150, 169-174, 179-182
 - race 12-13, 19, 21, 111, 335
 - recall of office visit 58
 - receptivity to interventions 157, 160, 166
 - recruitment for intervention 192-194, 202, 260-261
 - recruitment for NCI studies 115, 123, 128, 133-135, 139
 - report receiving advice to quit 3, 17-21, 25, 214, 217-218, 241
 - reports on physician and dental counseling 117, 130
 - screening of 28, 72-73, 115, 128, 304-305
 - self-efficacy counseling 274, 276, 281-284
 - self-help materials
 - see* **self-help materials, smoking cessation**
 - smoking history 33, 55, 62
 - surveys 17-21, 84, 158, 160, 311-313
 - tracking of 10, 264
 - (*see also* **smokers**)
- pediatricians, smoking interventions** 229, 232-244
 - anticipatory guidance to prevent smoking 240, 243-244
 - attitudes and practices of 230, 233-235, 239, 241
 - attitudes of parents 230, 236-238, 241
 - barriers 233, 235, 239-241, 244
 - best opportunities to give advice 235-236
 - children and adolescents 229-230, 232, 239, 242-243, 361-362
 - clinical trials 207, 213, 215, 220
 - COMMIT 370
 - confidence in delivering advice 230, 233-235, 241
 - followup 242-243
 - four A's for counseling 240, 242-243
 - incorporating advice into office visits 241-243
 - NCI manuals for 239-240, 242-243, 361-362
 - office personnel 240
 - parents 229-230, 232-236, 238, 240-241
 - prevention 229-230, 232, 239-240, 243-244
 - publications for patients 287, 361-362
 - questionnaire 233-236
 - residents 207-210, 213, 215, 220, 239

- surveys of 233-234, 241
- training 207-210, 213, 230, 232, 236, 238-240
- personalizing risks/benefits** 211, 272, 278
- pharmacists, COMMIT** 337, 372
- pharmacological therapies** 92, 98-100
 - (*see also* **nicotine gum; nicotine replacement therapies**)
- phase I studies** 48, 53-61
- phase II studies** 48-49, 61-67
- phase III clinical trials** 145, 342
- phase IV studies** 343, 347, 352
- physician coordinator** 79-80
- physician counseling**
 - see* **physicians, smoking interventions**
- Physician-Delivered Smoking Intervention Project** 194
- physician-patient contact** 54, 191-192
- Physician Smoking Trials** 207, 209
- physicians**
 - as trainers 208, 210
 - attitude and practice questionnaire 115, 121
 - attitudes to intervention 48, 52, 82, 87-88, 102, 109-110, 203, 254-255, 260, 263, 330-332, 342, 352
 - behavioral influence on 24
 - community activities 34
 - community-based 342-344, 346-347
 - continuing education
 - see* **continuing medical education**
 - counseling behavior 24-25, 87-88
 - counseling practices 204, 213-218
 - focus groups 349
 - forgetfulness of 329-330, 332
 - intervention tasks 89
 - motivation of 8-9, 50, 97, 260, 301
 - patient visits per year 3, 12-14, 17, 25, 98, 102
 - peer influence 24, 322, 343-344, 370
 - recruitment 70, 76-79, 86, 114-115
 - reimbursement 8-9, 24-25, 52, 55, 110, 254, 371
 - reinforcing factors in counseling 24-25
 - reminders 72-73, 95, 175-177
 - report advising smokers to quit 3, 20-21, 214-218
 - smoking counseling rates 323, 328-329
 - stages of change 346, 350-351
 - tobacco use 12, 15-17, 25, 230, 255, 260, 307
 - (*see also* areas of specialty; e.g., **pediatricians**)
- Physicians Counseling Smokers Project** 343, 346, 352
- physicians, smoking interventions**
 - adoption and implementation of 343-344, 346-347, 350, 352-353
 - advantages and disadvantages 143
 - advice alone 144-149, 189, 191, 194, 196, 199, 200-202, 224
 - advice plus gum 92, 95-99
 - advice training 94-96, 278
 - cancer prevention reminder system 321-333
 - checklist for implementation 70
 - clinical trial on advice 92-98, 170
 - clinics 78-80, 82-83, 86-89, 305-307
 - communication grid 223
 - compared to dental 113, 141
 - compared to team approach 145, 149
 - comparison of approaches 199-203
 - compliance 53, 100
 - computerized reminder system 302, 321-333
 - confidence 24, 215, 342
 - content of 213, 215
 - counseling 57, 117, 143-149, 189, 191, 194, 196-197, 207-221, 224-225
 - counseling plus gum 189, 191, 194, 197
 - counseling skills training 351
 - CQI system 301
 - criteria 303
 - dissemination of 301-302, 342-353, 356, 367
 - educational materials 75, 239-240, 257, 351, 357-360
 - effectiveness of 342-343
 - examples of 196, 198, 223-226
 - for chemical workers 272-276, 278-280
 - four A's 13-15, 240, 242-244, 350, 357-359, 365
 - frequency of 213, 215
 - implementation of 343-344, 346-347, 350, 352-353
 - institutionalization 8, 301
 - McMaster/Waterloo project 48, 53-67
 - motivating patient
 - see* **motivation**
 - NCI manuals for 75, 239-240, 242-243, 257, 353, 357-360
 - NCI studies 113-126, 260
 - NCI training 356, 359-362
 - nurse-assisted 46, 51-52, 144-151, 166
 - obstacles
 - see* **barriers**
 - office practice consultant visits 349-351
 - office staff
 - see* **office staff, smoking interventions**
 - patterns of advice 18
 - personalized 60, 66, 211, 242, 260, 272, 278
 - Quit for Life project 45, 102-110
 - recruitment for 45, 53, 301-302, 321-322, 347-349, 353
 - reminders 72-73, 302-303, 305
 - responses to patients' concerns 226
 - results of 199-203
 - role in COMMIT 336-337, 340-341
 - samples of 196, 198, 211-212, 223-226
 - summary of strategies 351
 - time constraints on 143
 - TRACC intervention 143-149
 - training
 - see* **training programs, smoking intervention**
 - transtheoretical model of change 344-346, 352-353

- willingness to intervene 191
- (see also **advice to quit smoking; smoking interventions**; and areas of specialty)
- postcards, smoking cessation maintenance** 262, 264-265, 270
- pregnancy**
 - physician smoking intervention 229-230, 246-258
 - prenatal care 29, 247-258
 - smoking cessation 229, 247-248, 370
 - smoking during 26, 233
- prevalence of smoking**
 - adults 232
 - children and adolescents 232
 - medical students 12, 15-17
 - physicians 12, 15-16, 25
 - pregnant women 233
 - women 230, 233
- prevention of tobacco use**
 - by adolescents and children 229, 232, 238-240, 243-244, 361
 - by head and neck cancer patients 229, 231
 - by pregnant women 229, 233
 - clinic activities 318-319
 - computerized reminder system 332-333
 - dental office 9, 340, 364-365
 - (see also **smoking interventions**)
- Preventive Cardiology studies** 15, 17
- primary care physicians, smoking interventions**
 - brief advice 240
 - clinic-based 304-319
 - clinical trials 207, 213-221
 - COMMIT 336, 340
 - computerized reminder system 321-322, 332-333
 - Doctors Helping Smokers 45, 82-83
 - NCI dissemination studies 342-343, 347, 353
 - private practice 45-46, 102-103, 106-108
 - Quit for Life 102-105, 111
 - recruitment for trials 92-94, 97, 104-105, 321-322
 - TRACC program 143-151
 - training 207-208, 213, 220, 359-362
 - trials 46, 92-100, 113
- prompt, smoking intervention** 207-210, 213, 215-220
 - on medical records 189-191
- provider attitudes and characteristics** 254-255
- provider-patient bond** 260, 266
- psychological treatment, smoking cessation** 98, 100
- public information** 6-7
- public prenatal clinics** 247-255
- quality assurance systems** 10, 301, 308-309, 319
- quality improvement paradigm** 309-310, 319
- questionnaires**
 - dental intervention 159-160
 - for clinical trial 92-93, 95-97, 169-174, 179-185
 - on smoking 146, 149-150
 - parents' attitudes 236-237
 - pediatricians' attitudes and practices 233-235
- Quit and Win** 373-374
- quit attempts** 4-7, 22, 33, 89, 92, 212, 240, 281-282, 292
 - adolescents 165
 - log of 95-96
 - rates of 15, 71, 96, 148, 220
- quit date**
 - contracts 260, 262, 264
 - NCI study groups 117
 - physician verification form 95, 178
 - prescribing 209, 211, 213-214, 218
 - setting 14, 32, 55-56, 62, 104, 108, 117, 144-148, 150, 159, 209, 211, 213-214, 218, 242-243, 274, 279, 312
 - training for 50, 54, 67
- "Quit for Good" pamphlet** 115, 121, 129, 136, 197, 327
- Quit for Life** 327
- Quit for Life project** 45, 102-111
- quit rates, smoking**
 - 1 year 49, 57, 59-61, 65-66, 74, 284
 - 6 months 96, 189, 191, 200, 202, 218-219, 221
 - and level of physician intervention 200-202
 - and physician counseling 218-219, 221, 284
 - and physician training 57, 59-61, 65-66
 - cancer patients 259
 - dental intervention 160-161
 - expectations of 21, 30, 210, 240, 254
 - hospital patients 151, 155
 - long-term 49, 108, 191, 273-274
 - NCI intervention studies 116-118, 131-132
 - nurse-assisted counseling 149-150
 - pregnant smokers 247-248
 - reminder intervention 116-118, 130-131
 - short-term 59-60, 65
 - with brief advice 240
 - with gum use 55, 57, 59-61, 65-66, 96, 218
- quit rates, ST** 160-161
- race, smokers** 12-13, 19, 21, 111
- radiation oncologists** 260, 265-266
- randomized factorial trial** 210, 213-214
 - design of 213-214
- randomized studies** 106, 114, 153, 158
- readiness to quit smoking** 32, 150, 154-155, 229-230, 238, 251, 278-279
- reception area** 27-28
- receptionist**
 - clinical trial recruitment 93, 97
 - dental intervention 158, 160
 - patient screening 93
 - smoking intervention 14, 52-53, 132-133, 146, 150, 166

- reimbursement** 8-9, 24-25, 52, 55, 110, 254, 371
- reinforcement of interventions** 143, 145, 162-163, 257, 260, 303
- reinforcing factors in physician counseling** 24-25
- relapse, smoking** 22, 33, 50, 63, 71, 212, 251, 273, 279, 282-283, 289-290, 292
 - abstinence violation effect (AVE) 289-290
 - postpartum 248
 - prevention counseling, training 205, 208
 - prevention, hospitalized smokers 151, 155
 - risk associated with alcohol 265
 - stage of change 344-345
- reminders**
 - computerized systems 302, 321-333
 - for physicians 48-49, 72-73, 95, 175-177, 302-303, 305, 321-333
 - intervention study groups 113, 116-118, 127, 129-131
 - patient charts 116, 125-126, 129, 140, 207, 210
 - plus nicotine polacrilex 113, 116-118, 127, 130-131
 - quit rates with 116-118, 130-131
- research assistants**
 - in dental studies 130, 132-134, 137-139
 - in physician studies 115, 118-119, 122-124
- residents, smoking interventions**
 - attitudes about 199, 209-210, 213-215, 239-240, 266
 - clinical trials 213-221
 - family practice 194, 207, 210, 213, 215, 220, 239
 - integration of training 202
 - internal medicine 46, 193-194, 207, 210, 213, 215, 220, 239
 - maintenance of counseling skills 199-200
 - pediatric 207, 210, 213, 215, 220, 232, 239-240
 - posttraining data 199-201
 - primary care 207-208, 213, 239
 - prompt 207-210
 - receptivity to 204
 - recruitment for 190, 192-194, 204-205
 - relapse prevention 205
 - surgical 266
 - training programs 8-9, 189-221, 223-226, 239
 - tutorial 189, 207, 209-210
- respiratory therapist** 229, 275, 278
- Rhode Island Cancer Prevention Research Consortium** 343, 346-347, 352
- risks of smoking** 25-26, 229, 272-273, 280, 288
 - and bladder cancer 272-275
 - communication of 24, 279-280
- role-playing in intervention training** 95, 103-104, 263, 276, 351, 358
 - nurses 253
 - residents 195, 198, 200, 202
- scare tactics** 279-280, 282, 284
- screening**
 - bladder cancer 274-278
 - cancer prevention 329, 332
 - clinical trial questionnaires 92-93, 97, 169, 174
 - patients for NCI study 115, 128
 - patients for tobacco use 28, 72-73, 304-305
- self-efficacy counseling/intervention** 272-274, 276, 281-284
 - recommendations for 282-284
 - sample 293-294
 - transcript of 282, 295-297
- self-help materials**
 - dental 159
 - distributed by physician 104, 108, 209, 214, 218, 288-289, 305
 - for children/adolescents 239-240, 242-243
 - for head and neck cancer patients 264-265
 - for nurses' intervention 251-252
 - for patients 55, 144-148, 151, 155, 197, 257, 264-265, 270, 280, 282, 327, 373
 - for smokers in public prenatal clinic 250-253
 - for spouse/family 262, 265, 270, 288-291
 - hospital patients 155-156
 - Minnesota Heart Health Program 69-70
 - NCI, for patients 146, 155, 197, 327
 - ST cessation 159
 - "Tip Sheets" 55
 - videos 146-148, 150, 156, 373
- seminar, training** 121, 128, 141, 208
- smoke-free health care facilities** 337-338, 340, 374
 - clinic/office 79-80, 83, 256-257, 305, 357
 - hospitals 152-153, 371, 373
- smokeless tobacco (ST)**
 - effects 26, 156-159, 363-364
 - interventions 29, 46, 141, 156-162, 363-365
 - users 156-157, 159-161
- smokers**
 - African American
 - see* **black smokers**
 - assessment of status 13-14, 116, 130-131, 133-134, 139, 144, 146, 153, 155, 321, 323, 328-329
 - chemical workers 272, 274-278
 - coping skills 274, 281
 - demographics of 12-13, 18-19, 21
 - dental visits per year 25, 301, 364
 - desire to quit 71, 87, 89
 - females 12-13, 18, 21, 25-26
 - identification of 10, 28, 46, 72-73, 89, 133-134, 210, 351
 - males 12-13, 18, 21, 25
 - motivation to quit 7, 28, 30-31, 102, 104, 111, 195, 209, 211, 214, 272, 274
 - physician visits per year 3, 12-14, 17, 25, 98, 102, 301
 - physicians 12, 15-17, 25, 230, 307

- pregnant
 - see* **pregnancy**
- profile of 12-13
- providers of health care 230, 255
- publications for spouse/family 262, 265, 270, 288-291
- questionnaires 92-93, 95-97, 169, 171-174, 179-182
- race 12-13, 19, 21, 111
- readiness to quit 32, 149, 154-155, 229, 251, 278-279
- report receiving advice 3, 17-20, 25, 241
- resistance to advice 279
- self-efficacy/ability to quit smoking 92, 95-97, 272-273, 281-284
- self-help materials
 - see* **self-help materials**
- sex of 12-13, 18, 21
- stages of change 149-151, 154, 251, 273-274, 277-279, 282
- women, nonpregnant 246-247
 - (*see also* **patients, smokers**)
- smoking**
 - and anesthesia 267
 - and ST use 159-161
 - dependency 4-5, 211, 274
 - first cigarette in day 71, 217-218
 - health effects of 25-26, 229, 259, 272-275, 278, 280, 284, 288
 - initiation of 4-5
 - mortality from 25-26, 28, 35
 - oral health effects 26, 363
 - passive 232-234, 237-239, 242
 - physician attitudes about 110
 - prevalence 12, 15-17, 25, 230, 232-233
 - risks of 25-26, 229, 272-275, 278, 280, 288
 - social unacceptability 7, 36
- Smoking and Tobacco Control Program (STCP)** 365
- smoking cessation**
 - algorithms for delivery of advice 288-291
 - benefits of 25-26, 209, 229, 272, 278, 280, 288
 - biochemical validation
 - see* **biochemical validation of smoking status**
 - cardiovascular patients 151
 - contract 32, 55, 67, 196-197, 243, 260, 264-265
 - hospital patients 151, 155-156
 - long-term 6-7, 99, 108, 191, 273-274
 - maintenance of 87, 262, 264-265, 273
 - motivation 7, 28, 30-31, 102, 104, 111, 195, 209, 211, 214, 272, 274
 - obstacles to/barriers 7, 104, 151, 195, 211-212, 281, 292
 - process of 4-7
 - progress toward 272-273, 279
 - reasons 7
 - rewards 30-33
 - scare tactics/fear arousal 279-280, 282, 284
 - self-help materials
 - see* **self-help materials**
 - short-term 6-7, 59-60, 65, 273
 - stress of 282, 297
 - success 5-7, 30, 72
 - Surgeon General's report on 25, 233
 - transtheoretical model of change 344-346
 - weight gain 50, 63, 95, 211-212, 230, 253, 282, 292, 327
 - (*see also* **followup, smoking intervention; quit attempts; quit rates, smoking**)
- Smoking Cessation and Reduction in Public Prenatal Clinics project** 247, 249-251
- training for 251-254
- smoking cessation, stages of** 22, 344-346
 - action 5-6, 150, 274, 277, 279-280
 - contemplation 5-7, 149-151, 154, 230, 251, 273-274, 277, 282
 - maintenance 87, 262, 264-265, 270, 273
 - parents 230, 238
 - precontemplation 5-7, 149-151, 229, 251, 273-274, 277, 284
 - pregnant women 229-230
 - readiness to quit 32, 150, 154-155, 229-230, 238, 251, 278-279
 - relapse
 - see* **relapse, smoking**
- smoking interventions**
 - advice
 - see* **advice to quit smoking**
 - approaches 189, 191, 194, 196-203, 248
 - audit-with-feedback 330, 332
 - barriers to effectiveness 254-255, 265-266
 - booster sessions 262, 264-265, 269-270
 - chemical workers 229, 231, 272-284
 - clinic-based 7-9, 69-89, 305-313
 - clinical trials
 - see* **clinical trials, smoking intervention**
 - COMMIT 334-341, 369-374
 - comparisons 48-49, 113, 141, 199-203
 - computerized CPRS 321-333
 - cost-effectiveness of 102, 110-111, 149
 - counseling
 - see* **counseling, smoking intervention**
 - criteria for effectiveness 303
 - dental assistant/hygienist 14, 135, 340, 362, 366, 372
 - dentists
 - see* **dentists, smoking intervention**
 - dissemination of 301-302, 342-353, 356, 367
 - Doctors Helping Smokers 12, 45, 69-89, 304-308, 314-315, 318
 - dysfunctional reactions 279, 284 for adolescents
 - see* **adolescents, tobacco use**

- for pregnant smokers 246-250
- for women 246-258
- head and neck cancer patients 229, 259-261
- HMO 144-151, 162-165
- hospital patients 46, 151-156
- individualizing 29-30
- institutionalization 8, 301
- McMaster/Waterloo Family Practice Smoking Cessation Project 48, 53-57
- medical office 144-151
- minimal-contact counseling 207-210
- NCI studies 113-141
- nicotine polacrilex study groups 113-114, 116-118, 121-122, 127-130
- nicotine replacement 7, 92, 94, 98, 100
- Nokomis Clinic 14-15, 72-75, 79-80, 304-305
- nurse-assisted
 - see **nurses, smoking interventions**
- office-based 3, 7-10, 301-319, 349-350, 357-358
- office coordinator 79-80, 138, 357
- office staff
 - see **office staff, smoking interventions**
- oral health team 338-340, 362-368, 371-372
- pharmacological therapies 92, 98-100
- physicians
 - see **physicians, smoking interventions**
- prompt 207-210, 213, 215-219
- Quit for Life project 45, 102-111
- reinforcement of 143, 145, 162-163, 257, 260, 303
- reminder system study group 113, 116-118, 127, 129-131
- reminder systems 302, 321-333
- resident training 8-9, 189-221, 223-226, 239
- samples of 196, 198, 223-226
- self-help materials
 - see **self-help materials**
- self-quit 146-149
- software 323, 326, 329
- spirit-building component 79, 81, 83
- team approach 46, 52, 118, 120-121, 123-126, 135, 143-151, 165-166, 314, 364
- TRACC program 46, 143-167
- training
 - see **training programs, smoking intervention**
- trials 104-109, 207, 213-221
- trials, NCI 334, 342-343, 347, 352, 356-358, 362
- tutorial 207, 209-210, 213, 215-219
- use in smokeless tobacco interventions 157
- worksites 275, 277
 - (see also **nicotine gum**)
- smoking prevalence, U.S.** 12, 15-17, 230, 232-233
- smoking prevention**
 - see **prevention of tobacco use**
- smoking status**
 - assessment of patient 13-14, 116, 130-131, 133-134, 139, 144, 146, 153, 155, 257, 321, 323, 328-329
 - of health care providers 230, 253, 255
 - of nurses 253
 - of physicians 15-17, 25, 230, 307
- Smoking, Tobacco, and Cancer Program (STCP)** 207, 209
 - Physician Smoking Trials 207, 209
- social support materials** 262, 265, 270, 288-291
- software program, physician reminder system (CPRS)** 323, 326, 329
- ST**
 - see **smokeless tobacco**
- stages of behavior change**
 - physicians 204, 346, 350-351
 - smokers
 - see **smoking cessation, stages of**
 - transtheoretical model of 344-346, 352-353
- Stanford Cardiovascular Risk Reduction project** 55
- state-level intervention** 360-361, 366
- STCP**
 - see **Smoking and Tobacco Control Program; Smoking, Tobacco, and Cancer Program**
- stop-smoking contracts** 32, 55, 67, 196-197, 243, 260, 264-265
 - (see also **quit date**)
- success rates, NCI interventions** 116-118, 131-132
- Surgeon General's reports**
 - see **U.S. Surgeon General**
- surgeons, head and neck** 229, 259-260, 263, 266-270
- surveys**
 - Adult Use of Tobacco Survey (AUTS) 17-21
 - California Tobacco Survey 12-14
 - cardiovascular risk of medical school students 16
 - Johns Hopkins Precursors Study 15-16
 - National Health Interview Survey 17-21
 - of health professionals' practices 102, 109-110, 233-234, 241
 - of patients 84, 241, 311-313
 - tobacco use 158, 160, 311-313
- teachable moments** 28-29, 143-146, 151, 167, 259, 363
 - dental care 157, 160, 162, 229, 231
- teachers, materials for** 358
- team approach to tobacco interventions** 46, 52, 314
 - compared to physician-centered 145, 149
 - CQI system 314
 - dental 135-141, 338-340, 362-365, 371-372
 - medical staff 118, 120-121, 123-126
 - TRACC 143, 145, 149-151, 165-166

teenagers

see **adolescents, tobacco use**

telephone

followup

see **followup, smoking intervention**

hotlines 7, 146, 150, 163

third-party payers 110, 370

tobacco and alcohol use 231, 269

tobacco control strategies 4-7, 33-35

dental 363-364

tobacco industry 31, 33, 36

advertising and promotion 7, 27, 29, 232

company sponsorship 33-34

Tobacco Reduction and Cancer Control

(TRACC) program 46, 143-167

adolescent smoking intervention 162-165

hospital intervention 151-156

nurse-assisted counseling intervention 144-151

ST dental intervention 156-162

tobacco use

and alcohol 231, 269

by children 232

by physicians and office staff 307

cessation flowchart 316

health risks

see **risks of smoking**

identification of 28

prevention among children and adolescents 362, 365

prevention and cessation services, dental

intervention 364-365

screening of patients 304-305

surveys of 17-21, 84, 158, 160, 311-313

(see also **smokeless tobacco; smoking**)

TRACC

see **Tobacco Reduction and Cancer Control program**

train-the-trainers approach 204, 207-208, 210, 220, 337-339, 361, 365

training materials 340

development of 356-359

for trainers 358-361

training programs, smoking intervention

advice only 189, 191, 194, 196, 199

and prompts 189-191, 208-210, 213, 215-216

approaches 189, 191, 194, 196-203

associations, medical 360-362

at practice site 94, 97

bedside counseling 155

behavioral skills 229, 231

booster sessions 204-205

brief advice 94-95

clinicians 359-360, 362

COMMIT 337-340, 370, 373

counseling 103-104, 145-146, 151, 189-191, 194, 196-197, 199-200, 203-204, 207-209, 223-226, 269, 351

counseling plus gum 189, 191, 194, 197, 199

counselors 275-276

dental staff 301-302, 338-340, 364-367

dentists 45-46, 128-130, 135-137, 268-270, 301-302

development of materials 356-359

educational methods used 194-195

family practice 45-46, 48-50, 53, 193-194, 207, 210, 213, 239

followup visits 63-64, 359

for Smoking Cessation and Reduction project 251-253

grand rounds 8-9, 115

incentives 195, 204

internal medicine 46, 193-194, 207, 210, 213, 215, 220, 239

maintenance of skills 199-200

materials for 199, 340, 358-360

McMaster/Waterloo Project 53-55, 61-63

medical office staff 301-302

methods of teaching 208-209

NCI dental intervention 128-130, 135-137, 141, 364-367

NCI materials 356-360

NCI physician intervention 115-116, 119, 121-122, 124, 256, 302, 356-362, 366-367

nicotine gum use 45, 50, 54, 60, 104, 110, 116, 121-122, 195, 280

nurse-assisted counseling 145-146, 151, 362

objectives 49-50

obstetrical office staff 256-258

office-based 301-302

office staff 10, 45, 119, 122-124, 126, 130, 135-137, 145-146, 351, 358, 362

office staff, CPRS 326, 331

pediatric 207-210, 213, 230, 232, 236, 238-240

physicians 45-46, 54, 62-63, 145, 189, 191-192, 204, 246, 278, 301-302, 304, 342, 351

posttraining data 199-200

practitioner 9-10

prenatal care nurses 250-255

primary care residents 207-208, 213, 220, 239

providers, head and neck cancer patients 263-264, 268-269

Quit for Life 103-104, 108-109

recommendations 49

recruitment to 190, 192-194, 204, 360

relapse prevention counseling 205, 208

residency curricula 8-9

residents 189-205, 207-210, 213, 223-226, 239

role-playing 95, 103-104, 195, 198, 200, 202, 253, 263-264, 276, 351, 358

self-efficacy counseling/intervention 276

self-training materials 204, 258

structure of sessions 205

trainers 358-362, 365

tutorials 189-190, 207, 209-210, 213, 215-216

- videotapes
 - see* **videotapes, smoking intervention for training programs**
- workshops 50-51, 59, 62, 94, 305, 338-339, 351-352, 359-361, 365, 373
 - (*see also* **continuing medical education**)
- training, tobacco use intervention, oral health professionals** 364-365
 - differences from medical 364-365
 - NCI program 364-365
- transdermal nicotine replacement** 9, 87, 100, 110
- transtheoretical model of change** 344-346, 352-353
- trial design, smoking counseling** 213-214
- trials, smoking intervention**
 - see* **clinical trials, smoking intervention**
- tutorial**
 - counseling group 207, 209-210, 215-220
 - plus prompt, counseling group 213, 215-219
 - resident smoking intervention 189-190
- UCLA** 259-260, 264, 268
- University of North Carolina protocol** 292
- U.S. Surgeon General**
 - report on health benefits of smoking cessation (1990) 25, 233
 - report on health consequences of smoking (1964) 15, 17
 - role of pediatrician (1985) 233
- usual care group** 262-263, 288
- Veterans Administration patients** 260, 266
- videotapes, smoking intervention**
 - by Health Provider Task Force 369-370
 - by National Heart, Lung, and Blood Institute 373
 - COMMIT 339
 - for adolescents 163
 - for hospital patients 154, 156
 - for physicians 54-55, 121, 136, 263-265, 339, 358-360, 373
 - for smokers 46
 - for training programs 195, 210, 276, 278, 358-360
 - impact on quit rates 150
 - interactive 166
 - physician recruitment for intervention 348
 - production and cost of 156
 - self-quit 146-148, 150
 - TRACC 46, 144-148, 150, 166
- videotapes, ST intervention** 159-160, 162
- waiting room** 27-28
- weight gain** 50, 230, 282
 - control of 63, 95, 253, 327
 - fear of 211-212, 292
- white smokers** 13, 19, 21, 111, 261
- withdrawal**
 - from nicotine 292
 - from smoking 50, 62, 282, 288, 297
- women**
 - attitudes to provider intervention 247
 - counseling by pediatricians 229, 233
 - in COMMIT 370
 - pregnant smokers 233, 246-250
 - risks from smoking 25-26
 - smoking intervention 246-258, 370
 - smoking rates 230
- worker cohort recruitment** 274-277, 283
- workshops, intervention training** 50-51, 59, 305, 351-352
 - clinical trial training 94
 - COMMIT training 338-339, 370-371, 373
 - Doctors Helping Smokers 78, 82
 - physician advice 94
 - trainers 359-362, 365
- worksite smoking intervention** 275, 277, 374